

Interference Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((sequential\$2 chronological\$2 "top-down" "top down" "in order") near2 (select\$3 choos\$3 pick\$3 designat\$3)) with (data information address location) with (descending "top-down" "top down") with (alignment position\$4 arrang\$5) with (constraint restr\$5 limit\$5 requir\$6).clm.	US-PGPUB; USPAT	OR	ON	2006/11/30 10:03
L2	6	(judg\$4 decid\$3 determin\$5 evaluat\$3 estimat\$3) with (allocat\$4 distribut\$4 plac\$5 assign\$ reserv\$4) with (access\$4 reach\$4 read\$4) with ("single instruction" "one instruction").clm.	US-PGPUB; USPAT	OR	ON	2006/11/30 10:05
L3	0	(exclud\$4 "prevent from" "preventing from" "fail to include" "fails to include" "not including" "not included") with ((data information address location) near3 (select\$2 chosen picked designated)) with ((descending "top-down" "top down") near2 (size length)).clm.	US-PGPUB; USPAT	OR	ON	2006/11/30 10:07
L4	0	((repeat\$3 duplicat\$3 repe\$6 again replicat\$3) near2 (select\$3 choosing picking designat\$3)) with (remain\$3 left\$4) with ("exclud\$3 "preventing from" "failing to include" not including") with ((remaining left) near10 (allocatable distributable plac\$5 assign\$4 reserv\$4)).clm.	US-PGPUB; USPAT	OR	ON	2006/11/30 10:17
L5	0	1 and 2	US-PGPUB; USPAT	OR	ON	2006/11/30 10:17

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((sequential\$2 chronological\$2 "top-down" "top down" "in order") near2 (select\$3 choos\$3 pick\$3 designat\$3)) with (data information address location) with (descending "top-down" "top down") with (alignment position\$4 arrang\$5) with (constraint restr\$5 limit\$5 requir\$6).clm.	US-PGPUB; USPAT	OR	ON	2006/11/30 10:18
L2	6	(judg\$4 decid\$3 determin\$5 evaluat\$3 estimat\$3) with (allocat\$4 distribut\$4 plac\$5 assign\$ reserv\$4) with (access\$4 reach\$4 read\$4) with ("single instruction" "one instruction").clm.	US-PGPUB; USPAT	OR	ON	2006/11/30 10:18
L3	0	(exclud\$4 "prevent from" "preventing from" "fail to include" "fails to include" "not including" "not included") with ((data information address location) near3 (select\$2 chosen picked designated)) with ((descending "top-down" "top down") near2 (size length)).clm.	US-PGPUB; USPAT	OR	ON	2006/11/30 10:18
L4	0	((repeat\$3 duplicat\$3 repe\$6 again replicat\$3) near2 (select\$3 choosing picking designat\$3)) with (remain\$3 left\$4) with ("exclud\$3 "preventing from" "failing to include" not including") with ((remaining left) near10 (allocatable distributable plac\$5 assign\$4 reserv\$4)).clm.	US-PGPUB; USPAT	OR	ON	2006/11/30 10:18
L5	0	1 and 2	US-PGPUB; USPAT	OR	ON	2006/11/30 10:17
L6	1	((sequential\$2 chronological\$2 "top-down" "top down" "in order") near2 (select\$3 choos\$3 pick\$3 designat\$3)) with (data information address location) with (descending "top-down" "top down") with (alignment position\$4 arrang\$5) with (constraint restr\$5 limit\$5 requir\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 10:18
L7	14	(judg\$4 decid\$3 determin\$5 evaluat\$3 estimat\$3) with (allocat\$4 distribut\$4 plac\$5 assign\$ reserv\$4) with (access\$4 reach\$4 read\$4) with ("single instruction" "one instruction")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 10:18

EAST Search History

L8	0	(exclud\$4 "prevent from" "preventing from" "fail to include" "fails to include" "not including" "not included") with ((data information address location) near3 (select\$2 chosen picked designated)) with ((descending "top-down" "top down") near2 (size length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 10:18
L9	0	((repeat\$3 duplicat\$3 repe\$6 again replicat\$3) near2 (select\$3 choosing picking designat\$3)) with (remain\$3 left\$4) with ("exclud\$3 "preventing from" "failing to include" not including") with ((remaining left) near10 (allocatable distributable plac\$5 assign\$4 reserv\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 10:19
L10	10228	((717/136-167) or (712/216-219) or (711/100,170,212)).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/11/30 10:20
L11	0	("19and(@ad<20020801or@rlad<2 000801)").PN.	US-PGPUB; USPAT	OR	OFF	2006/11/30 10:20
L12	7577	10 and (@ad<"20020801" or @rlad<"20020801")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 10:21
L13	2	12 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 10:21